

Facsimile

Arent Fox
ATTORNEYS AT LAW

Date: November 15, 2006
Pages (including cover): 2
Attorney #: 1546
Client/Matter #: 025720-00020

Charles M. Marmelstein
202.857.6008 DIRECT
202.857.6395 FAX
marmelstein.c@arentfox.com

PLEASE DELIVER TO:

Name/Company	Fax #	Verify #
Mr. Lewis Certificates of Correction U.S. Patent & Trademark Office	703-308-6672	703-305-8309


MESSAGE/INSTRUCTIONS

Re: Request for Duplicate Certificate of Correction
U.S. Letters Patent No.: 6,933,810 B2
Issued: August 23, 2005
By: Michio MIURA et al
Our Ref: 025720-00020

Dear Mr. Lewis:

Enclosed please a Request for Duplicate Certificate of Correction for the above-identified U.S. Letters Patent. If you should have any questions or need any additional information, please do not hesitate to contact us.

Respectfully submitted,



Charles M. Marmelstein
Reg. No. 25,895

PLEASE CALL OUR FAX OPERATOR AS SOON AS POSSIBLE IF TRANSMISSION IS NOT COMPLETE: 202.857.6119

This facsimile contains privileged and confidential information intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is strictly prohibited. If you have received this facsimile in error, please immediately notify us by telephone and return the original facsimile to us at the address below via the postal service. Thank you.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:

Michio MIURA et al

Letters Patent No.: 6,933,810 B2

ATTN: Certificates of Correction

Issued: August 23, 2005

For: SURFACE ACOUSTIC WAVE DEVICE WITH LITHIUM
TANTALATE ON A SAPPHIRE SUBSTRATE AND FILTER
USING THE SAMEREQUEST FOR DUPLICATE
CERTIFICATE OF CORRECTIONCommissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450


November 15, 2006 (via facsimile)

Sir:

It is respectfully requested that a duplicate Certificate of Correction be issued in the subject U.S. Letters Patent. The undersigned has checked the records of the U.S. Patent and Trademark Office and discovered that a Certificate of Correction issued on March 14, 2006. To date, the undersigned has not received this Certificate of Correction. In checking the records of the U.S. Patent and Trademark Office, the undersigned has noted that the correct mailing address is of record. Therefore, it is respectfully requested that a duplicate Certificate of Correction be issued in this U.S. Letters Patent.

In the event that any fees are due with respect to this paper, please charge Deposit Account No. 01-2300, referencing Atty. Docket No. 025720-00020.

Respectfully submitted,


Charles M. Marmelstein
Registration No. 25,895

Atty. Docket No.: 025720-00020

Customer No. 004372
Arent Fox PLLC
1050 Connecticut Avenue, N.W.
Suite 400
Washington, D.C. 20036-5339
Tel (202) 857-6000
Fax (202) 638-4810

CMM:mmg

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,933,810 B2
DATED : August 23, 2005
INVENTOR(S) : Miura et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [73], Assignee, add the following:

-- Fujitsu Media Devices Limited, Yokohama (JP) --.

Item [57], ABSTRACT, amend as follows:

-- A surface acoustic wave device includes a piezoelectric substrate having a first surface on which comb-like electrodes are formed, and a second surface, and a support substrate joined to the second surface of the piezoelectric substrate. The piezoelectric substrate is made of lithium, tantalate, and the support substrate is made of sapphire. The following expressions being satisfied:

$$T/t < 1/3$$

$$T/\lambda > 10$$

where T is a thickness of the piezoelectric substrate, t is a thickness of the support substrate, and λ is a wavelength of an IDT forming a resonator including the comb-like electrodes propagated along the first surface of the piezoelectric substrate.

Column 2,

Lines 50-53, should read:

-- where T is a thickness of the piezoelectric substrate, t is a thickness of the support substrate, and λ is a wavelength of an IDT forming a resonator including the comb-like electrodes propagated along the first surface of the piezoelectric substrate. --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 2 of 2

PATENT NO. : 6,933,810 B2
DATED : August 23, 2005
INVENTOR(S) : Miura et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, line 66 to Column 3, line 2,


Should read:

-- where T is a thickness of the piezoelectric substrate, t is a thickness of the support substrate, and λ is a wavelength of an IDT forming a resonator including the comb-like electrodes propagated along the first surface of the piezoelectric substrate. --.



Signed and Sealed this

Fourteenth Day of March, 2006



JON W. DUDAS
Director of the United States Patent and Trademark Office